

Welcome to

SGT Canada

(Telco Solutions)

Sharjah Tel. +971 6 5676584, Fax. +971 6 5672584
Email: business@siliconoffice.biz

Alternate e-mail: hshirazi@siliconoffice.biz

SGT is UAE based company, operational for last 3 years as a Value Added Distributor/Reseller (VAD /VAR) offering Telco based Solutions to customer needs in all aspect of Data, Voice & Fiber Optic products and services.

Our main customers are PTT around GCC & Middle East.

Turnover 3 million Dollars per annum

- **End to End Solution on Premise Cabling Systems**
- **Voice Cabling System**
- **Cabinets & Enclosures**
- **Fiber optic Cable System**
- **Tools & Testing**
- **Rental of Precise tools for Fiber**

SGT Canada provides products and services through consultation, pre-sales support, designing, worldwide sourcing, logistics and distribution, for Data Networking & Telecommunication, to customers and channel partners all over the Middle East.



The following range of multi pair telephone cable are constructed in a similar way to stand, but are suitable for internal

Features:

- Internal Grade
- Grey color outer sheath
- 0.5 mm conductor size
- Available in pvc, LSZH and CMR
- Choice of reel size


Description

- 25 Pair telephone cable indoor PVC/ LSZH
- 50 Pair telephone cable indoor PVC/ LSZH
- 100 Pair telephone cable indoor PVC





- Dual outlet flush mounted jack. Supplied complete with fixing but without back box.
- Single outlet flush mounted jack. Supplied complete with fixing but without back box
- 50 Pair Distribution box
- 100 Pair Distribution box
- 10 pair connection
- Voice Patch Panel 50 port
- CAT 6 Patch panel
- Patch Cord CAT 6 available in 1,2 3,5 Mtr etc..
- Cable Manager Ring type
- Brush Cable manager



Cabinets - Perforated range of cabinet



Features

- Supplied as flat pack easy assemble.
- Exquisite design with precise craftsmanship.
- Toughened glass door with over 180 degree.
- Removable side panel, easy to install and maintain.
- Accessories with common use.

Standard

Comply with ANSI/EIA (Standard)

Frame is Aluminum

Mounting profile is 2 mm and mounting angle
1.5mm, side door 0.8mm and other 1.2mm.

Surface finish

Degreasing, phosphoric, powder coated



Loading Capacity

Static loading: 800Kg (with adjustable feet)

Width:800 mm

Depth: 800 mm

Height: 2020 mm



Features

- Supplied as flat pack easy assemble.
- Exquisite design with precise craftsmanship.
- Toughened glass door with over 180 degree.
- Removable side panel, easy to install and maintain.
- Accessories with common use.

Standard

Frame is Aluminum

Mounting profile is 2 mm and mounting angle 1.5mm,
side door 0.8mm and other 1.2mm.

Surface finish

Degreasing, phosphoric, powder coated

Loading Capacity

Static loading: 800Kg (with adjustable feet)

Width: 800 mm +

Depth: 800 mm

Height: 2020 mm

losure





Standard

- Comply with ANSI/EIA

Features

- Welded frame, reliable structure
- Adjustable feet and heavy duty.
- Removable side panel.

Loading Capacity


- 60kg

Single Section & Double Section

6U wall mount cabinets
600 x 450mm

9U wall mount cabinets
600 x 450mm

KJ 45 keystone jacks & face plate



- Features
- A jack for use in future proof utp cabling system, ready the new gbase application
- Fully compatible for CAT 6
- Fits all brand and continental style

Face Plate (Plastic/ Steel face plate) Dual/ Single

Supplied with fixing screw

Single width blank is equal to one module width.

Screen printing option availability

Choice of blanking plate

Perforated & Tempered

ONU FTTH

- 12U ONU for FTTH with Glass Doors and Perforated doors + with Frame
- 600x600x150mm depth
- 600x600x 300mm depth
- Color RAL 7035/9010

- 19" Wall Mount Enclosures 600 x 600 x 150 mm Deep
- 19" Wall Mount Enclosures 600 x 600 x 125 mm Deep
- Color: RAL 7035 Grey color or As per Etisalat Specs



Approved from Etisalat

- 2 Core F/O Cable S/M LSOH
- Color White, Ivory & Black
- Reel Size 1000 Mtr
- Etisalat Approved ONU in Stock
- Availability Loose tube cable & Tight buffered cable.

Patch Chord & Pigtaills

- Type: LC-LC / SC-SC / ST-ST etc...
- Size 1 Mtr, 2 Mtr, 3 Mtr
- Connector
- ST/SC/ LC simple & Duplex
- Fiber patch panel-24 & 48 port
- Fiber Enclosure





- Features

Standard: EIA/TIA-568

Material: Solid copper

24 AWG conductor

Thickness: 0.23mm

Mark range: 1 Mtr

Installation: Indoor


Color: RAL 7035

Length: 305 mtr in one reel

25 year product and lifetime application warranty available.



- 2 way, 6 & 10 way PDU
- Insertion Tool
- Crimp Tool
- Blank panel 1U, 2U and 3U
- Cable manager plastic and metal 1U
- Cage nuts
- Cable tie



Our Value Client list

- PTT in the region like DU, Etisalat, Batelco, Kuwait
- Al Futtaim Technologies
- Bond Communications
- Emirates Computer
- Aten Communication
- Saturn Communications
- Canadian Networking Systems.
- Sys Com Emirates
- Emircom
- Emitac
- Al Jassaf Contacting Company
- US Army
- Sudan Tel, Malawi PTT,



■ Thank you

Sharjah Tel. +971 6 5676584, Fax. +971 6 5672584
Email: business@siliconoffice.biz
Corporate e-mail: faoursar@eim.ae
Alternate e-mail: support@siliconoffice.biz